Very simple book with mathematical formulas

Table of Contents

List of Examples

Chapter 1. $\mathbb{J}$LATEX$Math$

The Java package $\mathbb{J}$LATEX$Math$ combining with FOP gives the possibility to write LATEX commands in Docbook.

This example has been written in using the CM Unicode fonts available at http://sourceforge.net/projects/cm-unicode/ .

For example :

$$\phi_n(\kappa) = \frac{1}{4\pi^2\kappa^2} \int_0^\infty \frac{\sin(\kappa R)}{\kappa R} \frac{\partial}{\partial R} \left[R^2 \frac{\partial D_n(R)}{\partial R} \right] dR$$

We can use an example block :

Example 1.1.

$$\det \begin{bmatrix} a_{11} & a_{12} & \cdots & a_{1n} \\ a_{21} & \ddots & & \vdots \\ \vdots & & \ddots & \vdots \\ a_{n1} & \cdots & \cdots & a_{nn} \end{bmatrix} \overset{\text{def}}{=} \sum_{\sigma \in \mathfrak{S}_n} \varepsilon(\sigma) \prod_{k=1}^n a_{k\sigma(k)}$$

The formulas can be in displaystyle $\displaystyle\sum_{n=1}^{+\infty} \frac{1}{n^2} = \frac{\pi^2}{6}$ or in textstyle $\sum_{n=1}^{+\infty} \frac{1}{n^2} = \frac{\pi^2}{6}$.

Several centered formulas with gather environment :

$$ax + b = 0$$
$$ax^2 + bx + c = 0$$
$$ax^3 + bx^2 + cx + d = 0$$

Several formulas with flalign environment :

$$10xy^2 + 15x^2y - 5xy = 5\left(2xy^2 + 3x^2y - xy\right) =$$
$$= 5x\left(2y^2 + 3xy - y\right) =$$
$$= 5xy(2y + 3x - 1)$$

Several formulas with split environment :

$$10xy^2 + 15x^2y - 5xy = 5\left(2xy^2 + 3x^2y - xy\right) =$$
$$= 5x\left(2y^2 + 3xy - y\right) =$$
$$= 5xy(2y + 3x - 1)$$

Splitting a long formula on several lines with multline environment :

$$(1+x)^n = 1 + nx + \frac{n(n-1)}{2!}x^2 +$$
$$+ \frac{n(n-1)(n-2)}{3!}x^3 +$$
$$+ \frac{n(n-1)(n-2)(n-3)}{4!}x^4 + \dots$$

An array with vertical and horizontal lines and different sizes of font :

Matrix	Multicolumns		Font sizes commands
$\begin{pmatrix} \alpha_{11} & \cdots & \alpha_{1n} \\ \cdots\cdots\cdots\cdots \\ \alpha_{n1} & \cdots & \alpha_{nn} \end{pmatrix}$	Large Right	small Left	tiny Tiny
Huge Multicolumns			