

Arrange Block Test Cases


```
<!-- This is a delimited source block. -->
```

```
<article>  
  <div>  
    <main>
```


```
      <!-- This is awesome! -->
```

```
    </main>  
  </div>  
</article>
```

```
<!-- End of nested source block. -->
```

Paragraph in a delimited example block. This is content. End of nested example block.

Table 1. Title of table block with nested blocks

Column Name	Column Name
Table, below top, fits, with a title and blocks in cells.	 This is content. This is content. This is content.

This cell spans two columns (2+). Its content is horizontally centered (^).

Title of delimited sidebar

This is a delimited sidebar block that spans two columns!

Paragraph in sidebar block. This is content. This is content. This is content. This is content. This is content.

IMPORTANT

This is an admonition nested in a sidebar nested in a table cell that spans two columns. End of admonition.

This is content. This is content. This is content. This is content. This is content. End of masquerading admonition. End of sidebar.

Listing, Below Top, No Fit

Title of delimited listing block

Listing, below top, no fit, with an anchor and title.

This is a delimited listing block.

This is content.

This is content.

This is content.

This is content.

This is a delimited listing block.

This is content.

This is content.

This is content.

This is content.

This is a delimited listing block.

This is content.

This is content.

This is content.

This is content.

This is a delimited listing block.

This is content.

This is content.

This is content.

This is content.

This is a delimited listing block.

This is content.

This is content.

This is content.

This is content.

This is a delimited listing block.

This is content.

This is content.

This is content.

This is content.

End of listing.

Title of delimited listing block with callouts

Listing, below top, no fit, with an anchor, title, and callouts.

This is a delimited listing block.

This is content. ①

This is content.

This is content.

This is content.

This is a delimited listing block. ②

This is content. ③

This is content.

This is content.

This is content.

This is a delimited listing block.

This is content.

This is content.

This is content.

This is content.

This is a delimited listing block.

This is content.

This is content.

This is content.

This is content.

Source, Below Top, No Fit

Title of delimited source block with an anchor and title

```
<!-- Source, below top, no fit, with an anchor and title. This is a delimited source
block with an anchor, title, and syntax highlighting. -->

<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<title>My Stuff</title>
<link rel="stylesheet" href="./assets/subfont/fonts-bdb05d6309.css">
<link rel="stylesheet" href="./assets/css/main.css">

<link rel="canonical" href="https://example.org/">
<meta property="og:url" content="https://example.org/">
<meta name="description" content="So much stuff!">
<meta property="og:description" content="So much stuff!">
<meta property="og:site_name" content="example.org">
<meta property="og:type" content="article">
<meta name="author" content="Me">
<meta name="og:article:author" content="Me">
<meta property="og:title" content="Stuff">
<meta name="twitter:card" content="summary_large_image">
<meta property="og:image" content="https://example.org/assets/img/stuff.png">
<meta property="og:image:height" content="1250">
<meta property="og:image:width" content="2500">

<link rel="apple-touch-icon" sizes="180x180" href="/assets/img/stuff-logo-apple-touch-
180.png">
<link rel="icon" type="image/png" sizes="196x196" href="/assets/img/stuff-logo-
196.png" />
<link rel="icon" type="image/png" sizes="192x192" href="/assets/img/stuff-logo-
192.png" />
<link rel="icon" type="image/png" sizes="128x128" href="/assets/img/stuff-logo-
128.png" />
<link rel="icon" type="image/png" sizes="96x96" href="/assets/img/stuff-logo-96.png"
/>
<link rel="icon" type="image/png" sizes="64x64" href="/assets/img/stuff-logo-64.png"
/>
<link rel="icon" type="image/png" sizes="32x32" href="/assets/img/stuff-logo-32.png"
/>
<link rel="icon" type="image/png" sizes="16x16" href="/assets/img/stuff-logo-16.png"
/>
<link rel="icon" type="image/svg+xml" href="/assets/img/stuff-logo.svg">
<link rel="icon" type="image/png" href="/assets/img/stuff-logo-48.png">
<link rel="shortcut icon" href="/assets/img/favicon.ico">
<link rel="manifest" href="/manifest.json">
<link rel="mask-icon" href="/assets/img/stuff-logo-mask.svg" color="#1f8197">
```



```

<meta name="msapplication-TileColor" content="#1f8197">
<meta name="theme-color" content="#1f8197">
</head>

<article>
  <div>
    <main>

      <!-- This is awesome! -->
      <!-- This is comment content. -->
      <!-- This is comment content. -->
      <!-- This is comment content. -->
      <!-- This is comment content. -->
      <!-- This is comment content. -->

      <div>
        <address>

          <!-- This is comment content. -->

        </address>
      </div>
      <div>
        <section>

          <!-- This is comment content. -->
          <!-- This is comment content. -->
          <!-- This is comment content. -->
          <!-- This is comment content. -->
          <!-- This is comment content. -->
          <!-- This is comment content. -->
          <!-- This is comment content. -->

        </section>
      </div>
    </main>
  </div>
</article>

<!-- End of source. -->

```

Title of delimited source block with callouts

```

/** Source block, below top, no fit, with anchor, title, and callouts. */
/** This is a delimited source block with an anchor, title, syntax highlighting, and
callouts. */

(function () {
  function init$5() {
    const e = document.querySelector('.header > nav > .navbar-mobile'),

```

```

t = e.querySelector(':scope > .close'),
n = e.querySelector(':scope > .open'),
r = document.querySelector('.header > nav > .menu');
t.addEventListener('click', (() =>{
  r.classList.remove('is-active'),
  e.classList.remove('navbar-open')
})),
n.addEventListener('click', (() =>{
  r.classList.add('is-active'),
  e.classList.add('navbar-open')
}))
}
function init$4() {
  const e = window.location.hash;
  function t(e) {
    const t = this.tab,
    r = this.pane,
    i = this.id,
    a = this.tabset;
    if (i && a) {
      const e = a.querySelector('.select > select');
      e && (e.value = i)
    }
    n(':scope > .tabs li', this.tabset).forEach((function (e) {
      e === t ? e.classList.add('is-active') : e.classList.remove('is-active') ①
    })),
    n(':scope > .content > .tab-pane', this.tabset).forEach((function (e) {
      e === r ? e.classList.add('is-active') : e.classList.remove('is-active')
    })),
    e.preventDefault()
  }
  function n(e, t) {
    return Array.prototype.slice.call((t || document).querySelectorAll(e))
  }
  function r(e, t) {
    return n('.tab-pane', t).find((function (t) {
      return t.getAttribute('aria-labelledby') === e
    })))
  }
  n('.tabset').forEach((function (i) {
    let a;
    const o = i.querySelector('.tabs');
    if (o) {
      let s;
      n('li', o).forEach((function (n, o) {
        const l = (n.querySelector('a[id]') || n).id;
        if (!l) return;
        const c = r(l, i);
        o || (s = {
          tab: n,
          pane: c
        })
      }
    )
  }
)

```


Literal, Below Top, No Fit

Title of delimited literal block

Literal, below top, no fit, with an anchor and title.

This is content.

Content that's taking a trip
around, and around, and around, and around, and around, and around, and
around, and around, and around the proverbial block.

WARN - ctionSystem.impl.ActionUpdater - 447 ms to grab EDT for
ToggleSoftWrapsAction#update (org.stuff.something.actions.stuff.ToggleSoftWrapsAction)

WARN: Do not use URL connection as JarURLConnection
WARN: Do not use URL connection as JarURLConnection
WARN: Do not use URL connection as JarURLConnection
WARN: Do not use URL connection as JarURLConnection
WARN: Do not use URL connection as JarURLConnection
WARN: Do not use URL connection as JarURLConnection
WARN: Do not use URL connection as JarURLConnection
WARN: Do not use URL connection as JarURLConnection
WARN: Do not use URL connection as JarURLConnection
WARN: Do not use URL connection as JarURLConnection
WARN: Do not use URL connection as JarURLConnection
WARN: Do not use URL connection as JarURLConnection
WARN: Do not use URL connection as JarURLConnection

HAMMER TIME!

WARN: Do not use URL connection as JarURLConnection
WARN: Do not use URL connection as JarURLConnection
WARN: Do not use URL connection as JarURLConnection
WARN: Do not use URL connection as JarURLConnection
WARN: Do not use URL connection as JarURLConnection
WARN: Do not use URL connection as JarURLConnection
WARN: Do not use URL connection as JarURLConnection
WARN: Do not use URL connection as JarURLConnection
WARN: Do not use URL connection as JarURLConnection
WARN: Do not use URL connection as JarURLConnection
WARN: Do not use URL connection as JarURLConnection
WARN: Do not use URL connection as JarURLConnection
WARN: Do not use URL connection as JarURLConnection

HAMMER TIME!

WARN: Do not use URL connection as JarURLConnection
WARN: Do not use URL connection as JarURLConnection

TIP

This is an admonition nested in an example block that's nested in a sidebar block. The Sun rotates in the opposite direction to Earth, from west to east. This may or may not affect the kitchen sink and the infinite loop every other odd week. End of nested admonition.

End of nested example.

Paragraph in a delimited sidebar block. This is content. This is content. This is content. This is content.

term 1

Description of term 1. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. The following admonition is attached using a list continuation.

IMPORTANT

This is an admonition attached to the description of term 1 using a list continuation. Admonition content. Admonition content. Admonition content. Admonition content. Admonition content. Admonition content. End of admonition.

This content is attached to the description of term 1 using a list continuation. This is content. This is content. End of term 1 description.

term 2**WARNING**

The description of term 2 starts with this admonition. The entire description of term 2 is attached to the term using an open block. Admonition content. Admonition content. Admonition content. Admonition content. Admonition content. Admonition content. End of admonition.

Description of term 2, paragraph 1, that's attached to the term using an open block.

- [Title of nested delimited example block](#)
- [Title of nested delimited quote block](#)
- [Title of delimited sidebar block with nested blocks](#)



Description of term 2, paragraph 2. End of term 2 description and enclosing open block.

Paragraph in a delimited sidebar block. End of sidebar.


Tables, Below Top, No Fit

Table 2. Title of table block

Column 1, header row	Column 2, header row	Column 3, header row	Column 4, header row
Table, below top, no fit, with an anchor and title. Cell in column 1, row 2.	Cell in column 2, row 2	Cell in column 3, row 2	Cell in column 4, row 2
Cell in column 1, row 3	Cell in column 2, row 3. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content.	Cell in column 3, row 3	Cell in column 4, row 3
Cell in column 1, row 4. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content.	Cell in column 2, row 4	Cell in column 3, row 4. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content.	Cell in column 4, row 4

Column 1, header row	Column 2, header row	Column 3, header row	Column 4, header row
Cell in column 1, row 5. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content.	Cell in column 2, row 5	Cell in column 3, row 5	Check anchor of this table. Cell in column 4, row 5.
Cell in column 1, row 6	Cell in column 2, row 6	Cell in column 3, row 6	Cell in column 4, row 6
Cell in column 1, row 7	Cell in column 2, row 7	Cell in column 3, row 7	Cell in column 4, row 7
Cell in column 1, row 8	Cell in column 2, row 8	Cell in column 3, row 8	Cell in column 4, row 8
Cell in column 1, row 9	Cell in column 2, row 9	Cell in column 3, row 9	Cell in column 4, row 9
Cell in column 1, row 10	Cell in column 2, row 10	Cell in column 3, row 10	Cell in column 4, row 10. End of table.

Table 3. Title of table block with nested blocks

Column Name	Column Name	Column Name
Table, below top, no fit, with a title, anchor, and blocks in cells.	<p>Check out this source code.</p> <pre> <!-- Delimited source block nested in table cell. --> <article> <div> <main> <!-- This is awesome! --> </main> </div> </article> <!-- End of source. --> </pre> <p>This is content. This is content. This is content.</p>	 <p><i>Figure 1. Title of image in a table cell</i></p>

Column Name	Column Name	Column Name
This content is horizontally centered because the cell specifier includes the ^ operator.	There isn't a horizontal alignment operator on this cell specifier, so the cell falls back to the default horizontal alignment. Content is aligned to the left side of the cell by default.	This is content. This is content. This is content. This is content. This is content.

This cell spans three columns, and its content is horizontally centered.

Title of delimited sidebar

This is a delimited sidebar block that spans three columns! This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content.

Paragraph in sidebar block. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content. This is content.


This is a masquerading admonition block nested in a sidebar nested in a table cell that spans three columns.

IMPORTANT


This is content. This is content. This is content. This is content. This is content. End of masquerading admonition. End of sidebar directly following admonition closing delimiter.

Block Images, Below Top, No Fit

Block image, below top, no fit. pdfwidth = 120mm.



Block image, below top, no fit, with an anchor. pdfwidth = 120mm, centered.



Block image, below top, no fit, with an anchor and title. pdfwidth = 120mm, aligned right.
[Check anchor of previous image \(block image with anchor\).](#)




Figure 2. This is a block image with an anchor and a title

Block image, below top, no fit, with a title. pdfwidth = 120mm. Check anchor of "[This is a block image with an anchor and a title](#)".

Block image, below top, no fit, nested in example block. pdfwidth = 120mm.



Block image, below top, no fit, with anchor and title, nested in sidebar block. pdfwidth = 120mm.




Figure 4. Title of a block image nested in a sidebar